

VARTRY ENGINEERING LTD.

Manufacturers of Jigs & Fixtures
Plastic Injection Moulds
Wall Tiles & Pressings

Woodstock Road
Newtownmountkennedy
Co. Wicklow.

Tel : (01) 281 9259
Fax (01) 281 0333

VAT No. IE 9Y67096R

DECLARATION OF PERFORMANCE,

Vartry Engineering Limited declares that the product identified as SW225mm complies with the provisions of EN845-1-2003 + AI:2008 AZ annex as a symmetrical wall tie as covered in Clause 1.

Intended Use:

Type 3 wall ties connecting two leaves of a cavity.
Suitable for cavities of 100mm.

CE



Notified Body:

All independent testing carried out by:
Ceram Research Ltd.,
Queen's Road, Penkhull,
Stoke-On-Trent ST4 7LQ., U.K.

The product confirms to System 3.

Essential Characteristics:

Compressive Load Capacity	800
Tensile Load Capacity	1100
Water transfer capacity	resistant.

Durability:

Stainless steel to EN10088 as required by EN845.

Embedment depth 62.5mm

Minimum Mortar Class Type M2(iv)

Minimum Mortar joint 10mm

Minimum recommended spacing as per clause 6.2.2 PD6697:2010

Signed: Robert Snow
Robert Snow, M.D.

Date: 1/7/14
1st July, 2014.